Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	64	(("H.323" or H323) or SIP) with real with time with codec	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/01 13:36
L2	11	(H323 or "H.323") with firewall with client with server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/01 13:36
L3	14	"H.323" with encode with decode	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/01 13:36
L4	84	"H.323" with encod\$3 with decod\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/01 13:36
L5	39	L4 same protocol	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/01 13:36
L6	. 15	L5 and @ad<"20010105"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/01 13:36
L7	15	L6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/01 14:10
L8	16992	"h.323" SIP	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/01 14:10
L9	106	L8 with (http tcp udp) with establish\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/01 14:10

				,—	•	
L10	12	L9 and @ad<"20010105"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2007/02/01 14:10
L11.	12	L10	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/01 14:10
S1 .	2823	"H.323"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/06 12:43
S2	2	S1 with gatekeeper with firewall with client with server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/07 14:07
S3	2	"5224098".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/07 14:06
S4	0	H323 with gatekeeper with firewall with client with server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR ,	ON	2005/02/07 14:07
S5	6	(H323 or "H.323") with firewall with client with server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/07 14:10
S6	0	S5 and @ad<"20010105"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/28 10:51
S7	· 13	(H323 or "H.323") same firewall same client same server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2005/02/07 14:10
S8	3	S7 and @ad<"20010105"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/06 13:37

S9	8360	709/203,224.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/07 14:23
S10	3334	370/401.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/07 14:23
S11	13773	709/203,225,227,229,230,232.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/25 11:32
S12	3457	"H.323"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/25 11:32
S13	44751	S11 ans S12	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/25 11:32
S14	37	(("H.323" or H323) or SIP) with real with time with codec	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/01 13:36
S15	7	(H323 or "H.323") with firewall with client with server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/01 13:36
S16	0	S15 and @ad<"20010105"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 09:41
S17	0	S16 and @ad<"20010105"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2005/10/27 09:41
S18	7	S14 and @ad<"20010105"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 09:43

S19	24	charging with (operating adj system) with time	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/28 10:52
S20	9	S19 and @ad<"19991222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/28 10:52
S21	17	fee with (operating adj system) with time	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/28 10:52
S22	3	S21 and @ad<"19991222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/28 10:52
S23	8	"20030172131" "6421733".pn. "6760749".pn. "6195683".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/29 10:23
S24	11879	"h.323" SIP	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/29 10:57
S25	211	S24 with profile	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/29 10:24
S26	20	S24 with profile with register\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON -	2005/11/29 10:25
S27	2	S26 and @ad<"20010105"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/29 10:26
S28	27	S24 with profile with (authentica\$5 or authoriz\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR ·	ON	2005/11/29 10:26

			<b>.</b>			
S29	4	S28 and @ad<"20010105"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/29 10:58
S30	97	S24 with other with protocol	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/29 10:58
S31	,0	S24 with other adj protocol	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/29 10:57
S32	1245	S24 with (http tcp udp)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/29 10:58
S33	56	S24 with (http tcp udp) with establish\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/29 10:58
S34	9	S33 and @ad<"20010105"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/29 11:02
S35	3	S29 and (real with time)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/29 11:08
S36	3	S29 and (codec)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/29 11:25
S37	1	S29 and server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/29 11:27
S38	2	"5586260".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/29 11:51

	<b>,-</b> .		_	· · · · · · · · · · · · · · · · · · ·		
S39	2	"6775255".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/29 11:51
S40	0	S39 and proxy	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2005/11/29 12:03
S41	0	S39 and game	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/29 12:03
S42	1	S39 and monitor\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/29 12:04
S43	1	S39 and gatekeeper	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/29 12:04
S44	. 1	S39 and duration	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/29 12:15
S45	1	S39 and bucf with GK	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/29 12:15
S46	4	"10037487"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/06 12:43
S47	2	"6775255".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/06 13:35
S48	14	"H.323" with encode with decode	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/01 13:36

S49	0	"H.323" with encod3 with decod\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/06 13:36
S50	81	"H.323" with encod\$3 with decod\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/06 13:36
S51	38	S50 same protocol	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/06 13:36
S52	14	S51 and @ad<"20010105"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/06 13:37